



Synergyline Laminate

80mic

Material Description Our sensational "Synergyline" laminates are available in a universal GLOSS and SAND finish. Thickness: 80 micron PVC with a permanent clear solvent acrylic adhesive. Easy to remove release liner.

- Qualifications**
- Monomeric vinyl
 - Gloss & Sand Finish
 - PE 120gsm kraft paper.

- Details**
- Available sizes: 1060, 1270, 1370 & 1520mm x 50m.
 - It is always recommended to edge-seal prints to give added protection when using the product outdoors. This will increase the performance of durability for the adhesive

- Applications**
- Overlaminating for protection of digital printed inkjetmedia or screenprints.
 - Vehicle advertisements on Buses, Cars, train, tram, etc...
 - Windows sign graphics
 - Applications on glass, acrylic, polycarbonate

Physical Properties

Quality		80 micron PVC
Weight release paper		120gsm
Thickness PVC		80mic
Adhesive		Permanent Solv. acrylic adhesive 18±2g / sqm
Print side		Gloss & Sand finish
Reverse side		White matt

Compatibility **Overlaminating for digital printed inkjetmedia or screenprints.**

Make your own practical test to be sure it reaches your quality standard. For all- and latest information see our Compatibility List.

Printing guidelines Ink restrictions and heater settings have to be set for specific printer ink combinations to obtain the best results.

Colour profiles ATgraphix develops high quality ICC colour profiles for the divers printing media's. We work with specialists who can produce your profile if it's not direct available from our library. Please contact us for the possibilities.

Storage conditions 1 year under normal conditions Higher humidity and/or temperature can affect the product performance. Always store the media in a dark place. Storage condition: temperature 10-25° / relative humidity 50%

Environment The media and final prints can be disposed as PVC. Material is suitable for recycling. Please consult local recycle resources.

Data presented in this product information serve only as a guide-line for compatibility and use. ATgraphix will assume no liability in connection with any use of this information. Technical specifications are subjected to change without prior notice. ATgraphix, The Netherlands. www.atgraphix.com